

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(dynamic\$5 variable flexible) near6 (size dimension length) near6 (queue\$3 buffer \$3) same (releas\$3 near5 address\$3) and "20020054602"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 21:18
L2	0	"20020054602" and error	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 21:18
L3	2	("20020054602" "20040071164") and error	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 21:19
L4	0	("20020054602" "20040071164") and error same queue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 21:19
L5	2	("20020054602" "20040071164") and error same address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 21:19
L6	0	("20020054602" "20040071164") and error same address\$3 same releas\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 21:19
L7	0	("20020054602" "20040071164") and error same address\$3 same leas\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 21:19

S1	2	"20040071164" and releas\$3 near20 address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 18:39
S2	0	"20040071164" and releas\$3 near20 address\$3 near20 queue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 18:39
S3	0	"20040071164" and releas\$3 near20 address\$3 near20 queu \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 18:39
S4	0	"20040071164" and releas\$3 near20 address\$3 same queu \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 18:40
S5	0	"20040071164" and releas\$3 near20 address\$3 and queu\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 18:40
S6	0	"6,321,267" .pn. and releas\$3 near20 address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 18:44
S7	0	"6,321,267" .pn. and end\$3 near20 queue\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 18:44
S8	1	"6,321,267" .pn. and address\$3 near20 queue\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 18:45

S9	0	"6,321,267" .pn. and address\$3 near20 queue\$3 near20 return \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 18:45
S10	0	"6,321,267" .pn. and address\$3 near20 queue\$3 near20 plac\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 18:45
S11	0	"6,321,267" .pn. and address\$3 near20 assign \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 18:45
S12	105	releas\$3 near5 address \$3 near20 queue\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 19:00
S13	640	releas\$3 near5 address \$3 near20 (set group \$3 queue\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 19:01
S14	6	releas\$3 near5 address \$3 near20 (set group \$3 queue\$3) same (end \$3 near4 queu\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 19:01
S15	1	releas\$3 near5 address \$3 near20 (set group \$3 queue\$3) same (end \$3 near4 queu\$3) same priority	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 19:02
S16	9864	manag\$5 near20 "IP" near5 address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 19:04

S17	45	manag\$5 near20 "IP" near5 address\$3 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 19:04
S18	4	manag\$5 near20 "IP" near5 address\$3 near20 queu\$4 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/27 19:04
S19	0	"20040071164" and "6321267".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 10:24
S20	5	"20040071164" or "6321267".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 10:24
S21	0	("20040071164" or "6321267".pn.) and (list queue\$3 buffer\$3) near5 (siz\$3 dimension length spac\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 11:04
S22	28	(releas\$3 near5 address \$3) near20 (list queue \$3 buffer\$3) near5 (siz \$3 dimension length spac\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 11:05
S23	0	(releas\$3 near5 address \$3) near20 (list queue \$3 buffer\$3) near5 (siz \$3 dimension length spac\$3) same stack same node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 11:05
S24	1	(releas\$3 near5 address \$3) near20 (list queue \$3 buffer\$3) near5 (siz \$3 dimension length spac\$3) same stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 11:05

S25	1	(releas\$3 near5 address \$3) same (list queue\$3 buffer\$3) near5 (siz\$3 dimension length spac \$3) same stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 11:25
S26	1	(releas\$3 near10 address\$3) same (list queue\$3 buffer\$3) near5 (siz\$3 dimension length spac\$3) same stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 11:25
S27	2581289	(variable dynamic\$5) (list queue\$3 buffer\$3) near5 (siz\$3 dimension length spac\$3) same stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 11:27
S28	249	(variable dynamic\$5) same (list queue\$3 buffer\$3) near5 (siz\$3 dimension length spac \$3) same stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 11:27
S29	152	(variable dynamic\$5) near20 (list queue\$3 buffer\$3) near5 (siz\$3 dimension length spac \$3) same stack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 11:27
S30	0	((variable dynamic\$5) near20 (list queue\$3 buffer\$3) near5 (siz\$3 dimension length spac \$3) same stack) and releases\$3 near10 address\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 11:27
S31	1	((variable dynamic\$5) near20 (list queue\$3 buffer\$3) near5 (siz\$3 dimension length spac \$3) same stack) and releas\$3 near10 address\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 11:27
S32	15	((variable dynamic\$5) near20 (list queue\$3 buffer\$3) near5 (siz\$3 dimension length spac \$3) same stack) and releas\$3 same address \$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 11:30

S33	16	((variable dynamic\$5) near20 (list queue\$3 buffer\$3) near5 (siz\$3 dimension length spac \$3) same stack) and releas\$3 same address \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 11:30
S34	2	((variable dynamic\$5) near20 (list queue\$3 buffer\$3) near5 (siz\$3 dimension length spac \$3) same stack) and releas\$3 near25 address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 11:30
S35	1445987	(queue\$3 buffer\$3 table) near20 releas\$3 address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 11:33
S36	1406	(queue\$3 buffer\$3 table) near20 releas\$3 near20 address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 11:33
S37	2	(queue\$3 buffer\$3 table) near20 releas\$3 near20 address\$3 and S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 11:34
S38	1	(queue\$3 buffer\$3 table) near20 (contain \$3 hold\$3 stor\$3 log \$4) near20 releas\$3 near20 address\$3 and S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 11:35
S39	530	(queue\$3 buffer\$3 table) near20 (contain \$3 hold\$3 stor\$3 log \$4) near20 releas\$3 near20 address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 11:35

S40	210	(queue\$3 buffer\$3 table list) near20 (contain\$3 hold\$3 stor\$3 log\$4) near20 releas\$3 near20 address\$3 and ((dynamic variable increas\$3 decreas\$3 flexib\$5) near20 (queue\$3 buffer\$3 table list))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 11:37
S41	2	(queue\$3 buffer\$3 table list) near20 (contain\$3 hold\$3 stor\$3 log\$4) near20 releas\$3 near20 address\$3 and ((dynamic variable increas\$3 decreas\$3 flexib\$5) near20 (queue\$3 buffer\$3 table list) same stack\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 11:37
S42	3	(queue\$3 buffer\$3 table list) near20 (contain\$3 hold\$3 stor\$3 log\$4) near20 releas\$3 near20 address\$3 and ((dynamic\$4 variable increas\$3 decreas\$3 flexib\$5) near20 (queue\$3 buffer\$3 table list) same stack\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 11:38
S43	34	(queue\$3 buffer\$3 table list) near20 (contain\$3 hold\$3 stor\$3 log\$4) near20 releas\$3 near20 address\$3 and ((dynamic\$4 variable increas\$3 decreas\$3 flexib\$5) near20 (queue\$3 buffer\$3 table list)) same (stack\$3 (link\$3 adj\$3 list) array)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 11:50

S44	6	(queue\$3 buffer\$3 table list) near20 (contain\$3 hold\$3 stor\$3 log\$4) near20 releas\$3 near20 address\$3 and ((dynamic\$4 variable increas\$3 decreas\$3 flexib\$5) near20 (queue\$3 buffer\$3 table list)) same (stack\$3 (link\$3 adj3 list) array) near20 (previous\$3 prior)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 11:51
S45	0	(queue\$3 buffer\$3 table list) near20 (contain\$3 hold\$3 stor\$3 log\$4) near20 releas\$3 near20 address\$3 and ((dynamic\$4 variable increas\$3 decreas\$3 flexib\$5) near20 (queue\$3 buffer\$3 table list)) same ((stack\$3 (link\$3 adj3 list) array) near20 (previous\$3 prior)near20 (user node))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 11:52
S46	70870	address\$3 near10 manag\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 12:18
S47	10264	"IP" near10 address\$3 near10 manag\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 12:18
S48	0	"IP" near10 address\$3 near10 manag\$5 and S43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 12:19
S49	2	"IP" near10 address\$3 near10 manag\$5 and S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 12:19

S50	0	"IP" near10 address\$3 near10 manag\$5 and \$40 and (cool\$3 near5 (table queue\$3 list buffer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 12:29
S51	1	"IP" near10 address\$3 near10 manag\$5 and (cool\$3 near5 (table queue\$3 list buffer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 12:29
S52	1	address\$3 near10 manag\$5 and releas\$3 near20 address\$3 near35 (cool\$3 near5 (table queue\$3 list buffer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 12:30
S53	95	address\$3 near10 manag\$5 and releas\$3 near20 address\$3 near35 ((\cool\$3 hold \$3 stor\$3) near5 (table queue\$3 list buffer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 12:31
S54	95	address\$3 near10 manag\$5 and releas\$3 near20 address\$3 near35 ((cool\$3 hold\$3 stor\$3) near5 (table queue\$3 list buffer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 12:31
S55	43	address\$3 near10 manag\$5 same releas \$3 near20 address\$3 near35 ((cool\$3 hold\$3 stor\$3) near5 (table queue\$3 list buffer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 12:33
S56	13	address\$3 near10 manag\$5 same releas \$3 near20 address\$3 near35 ((cool\$3 hold\$3 stor\$3) near5 (table queue\$3 list buffer)) and ((dynamic\$4 variable) near10 (table list queue buffer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 12:34
S57	2	"20020076025"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 12:40

S58	2	"20020076025" and presence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 12:40
S59	1	"20020076025" and presence same (internet web)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 12:41
S60	1	"20020076025" and same (connection near5 manager)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 12:55
S61	0	"20020076025" and (presence near5 server) same (terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 13:00
S62	1	"20020076025" and (presence near5 server) same (client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 13:01
S63	1	"20020076025" and (presence near5 server) near20 (client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 13:01
S64	532	(dynamic\$5 variable) near10 size near10 queue\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 14:27
S65	532	(dynamic\$5 variable flexible) near10 size near10 queue\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 14:27

S66	554	(dynamic\$5 variable flexible) near10 size near10 queue\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 14:27
S67	106	(dynamic\$5 variable flexible) near10 size near10 queue\$3 and "47"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 14:28
S68	11638	manag\$5 near20 "IP" near5 address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 14:29
S69	4	(dynamic\$5 variable flexible) near10 size near10 queue\$3 and S68	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 14:29
S70	0	((dynamic\$5 variable flexible) near10 size near10 queue\$3) same (releas\$3 near10 address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 14:31
S71	0	((dynamic\$5 variable flexible) near10 size near10 queue\$3) same (releas\$3 near20 address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 14:31
S72	25	((dynamic\$5 variable flexible) near10 size near10 queue\$3)and (releas\$3 near20 address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 14:31
S73	2	((dynamic\$5 variable flexible) near10 size near10 queue\$3)and (releas\$3 near20 address\$3) near30 queue\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 14:32

S74	25	((dynamic\$5 variable flexible) near10 size near10 queue\$3) and (releas\$3 near20 address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 14:33
S75	0	((dynamic\$5 variable flexible) near10 size near10 queue\$3) same ((releas\$3 previous) near20 (address\$3 node user)) and (releas\$3 near20 address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 14:34
S76	5210483	((dynamic\$5 variable flexible) near10 size near10 queue\$3) et ((releas\$3 previous) near20 (address\$3 node user))and (releas \$3 near20 address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 14:34
S77	25	((dynamic\$5 variable flexible) near10 size near10 queue\$3) and ((releas\$3 previous) near20 (address\$3 node user))and (releas \$3 near20 address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 14:34
S78	78	((dynamic\$5 variable flexible) near10 size near10 queue\$3) and ((releas\$3 previous) near20 (address\$3 node user))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 14:35
S79	4	((dynamic\$5 variable flexible) near10 size near10 queue\$3) same ((releas\$3 previous) near20 (address\$3 node user))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 14:35
S80	1290	(dynamic\$5 variable flexible) near10 (size dimension length) near10 queue\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 14:36
S81	74	(dynamic\$5 variable flexible) near10 (size dimension length) near10 queue\$3 same ((link\$3 adj4 list) (data adj4 structure))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 14:39

S82	12	(dynamic\$5 variable flexible) near10 (size dimension length) near10 queue\$3 same ((link\$3 adj4 list) (data adj4 structure)) same address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 14:42
S83	0	(dynamic\$5 variable flexible) near10 (size dimension length) near10 queue\$3 same ((link\$3 adj4 list) (data adj4 structure)) same address\$3 same releas\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 14:42
S84	4	(dynamic\$5 variable flexible) near10 (size dimension length) near10 queue\$3 same ((link\$3 adj4 list) (data adj4 structure)) same releas\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 14:42
S85	2	(dynamic\$5 variable flexible) near10 (size dimension length) near10 queue\$3 same ((link\$3 adj4 list) (data adj4 structure)) same address\$3 and (address\$3 near20 releas\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 14:42
S86	1038	(dynamic\$5 variable flexible) near6 (size dimension length) near6 queue\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 14:57
S87	6060	(dynamic\$5 variable flexible) near6 (size dimension length) near6 (queue\$3 buffer \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 14:58
S88	2	(dynamic\$5 variable flexible) near6 (size dimension length) near6 (queue\$3 buffer \$3) same (releas\$3 near5 address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 15:00

1/ 14/ 09 9:51:32 PM

C:\Documents and Settings\jjeangilles\ My Documents\ EAST\ Workspaces\ 10790726march08.
pts.wsp